



## HARMAN LUXURY AUDIO

RETAIL PRICE LIST

**Table of Contents**

HDA Series Power Amplifiers .....3

HDA Series Audio/Video Receivers..... 4

HDA Series Audio/Video Processor ..... 6

RADIA Series Integrated Amplifiers .....7

RADIA Series Audio Players .....9

Terms and Conditions of Sale ..... 10

# HDA SERIES

## Power Amplifiers

# ARCAM



Model Name	Description	Material Number	MSRP
PA720	<p>Class G Power Amplifier</p> <ul style="list-style-type: none"> <li>• 7 x 100W Class G amplification (all channels driven)</li> <li>• Class G amplification with 20W of Class A operation</li> <li>• Seven channels driven, 4Ω / 8Ω, 20Hz – 20kHz 140W / 100W</li> <li>• Five channels driven, 4Ω / 8Ω, 1kHz 175W / 110W</li> <li>• Two channels driven, 4Ω / 8Ω, 1kHz 225W / 140W</li> <li>• Harmonic distortion, 80% power, 8Ω at 1kHz: 0.002%</li> <li>• Power consumption (maximum): 1.5kW</li> <li>• Power consumption (idle/typical): 90W</li> <li>• Dimensions including feet, control knob and terminal (W x D x H): 433 x 425 x 177mm</li> <li>• Weight: 39.7 lbs (18kg)</li> <li>• EAN: 625281956720</li> </ul>	<p>ARCPA720EU</p> <p>EAN: 6925281956737</p>	3.890 €
PA240	<p>2 Channel Class G Power Amplifier</p> <ul style="list-style-type: none"> <li>• 2 x 380W Class G amplification with both channels driven</li> <li>• 1 x 790W Class G bridged mode</li> <li>• Class G amplification with 50W of Class A operation</li> <li>• Two channels driven, 4Ω / 8Ω, 20Hz – 20kHz 380W / 225W</li> <li>• One channel driven, 8Ω bridged mode, 20Hz - 20kHz 790W</li> <li>• Harmonic distortion, 80% power, 8Ω at 1kHz: 0.001%</li> <li>• Power consumption (maximum): 1.5kW</li> <li>• Power consumption (idle/typical): 90W</li> <li>• Dimensions including feet, control knob and terminal (W x D x H): 433 x 425 x 177mm</li> <li>• Weight: 39.7 lbs (18kg)</li> <li>• EAN: 6925281956768</li> </ul>	<p>ARCPA240EU</p> <p>EAN: 6925281956768</p>	2.850 €
PA410	<p>4 Channel Power Amplifier</p> <ul style="list-style-type: none"> <li>• 4 x 50W Class AB amplification</li> <li>• Four channels driven, 4Ω/8Ω, 20Hz - 20kHz 70W / 50W</li> <li>• Two channels driven, 4Ω/8Ω, 20Hz - 20kHz 90W / 60 W</li> <li>• Harmonic Distortion, 80% power, 8Ω at 1kHz - 0.003%</li> <li>• Power Consumption (maximum): 700W</li> <li>• Power Consumption (idle/typical): 90W</li> <li>• Dimensions (W x D x H): 433 x 325x 105mm</li> <li>• Weight (packed): 11.5kg</li> <li>• EAN: 6925281969195</li> </ul>	<p>ARCPA410EU</p> <p>EAN: 6925281969195</p>	1.850 €

# HDA SERIES

## Audio/Video Receivers & Processor

# ARCAM



Model Name	Description	Material Number	MSRP
AVR5	<ul style="list-style-type: none"><li>• 2-channels driven (8ohm/4ohm) 80w/100w</li><li>• 7-channels driven (8ohm/4ohm) 60w/80w</li><li>• Dolby Atmos &amp; DTS:X 7.1.4 decoding</li><li>• 4K (UHD) HDMI2.0b with HDCP2.2</li><li>• 7 HDMI inputs, 2 HDMI outputs, eARC compatible</li><li>• Dirac Live® ready</li><li>• ESS 9026PRO audiophile DAC</li><li>• Class A/B power amplification -</li><li>• Wifi / Ethernet, RS232 and IR control</li><li>• Google Cast/UPnP capability for streaming audio</li><li>• Bluetooth</li><li>• Weight: 36.4 lbs (16.5kg)</li><li>• Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm</li></ul>	ARCAVR5EU EAN: 6925281997389	1.980 €

# HDA SERIES

## Audio/Video Receivers

# ARCAM



Model Name	Description	Material Number	MSRP
AVR31	<ul style="list-style-type: none"> <li>• 16 Channels of Dolby Atmos, DTS:X &amp; AURO-3D decoding</li> <li>• 7 HDMI inputs, 3 HDMI outputs inc Zone 2, eARC compatible</li> <li>• HDMI 2.1 with HDCP2.3</li> <li>• All inputs support 8K@60fps and 4K@120fps</li> <li>• Supports Dolby Vision, HDR10+, HDR10 and HLG</li> <li>• Includes Dirac Live® room correction</li> <li>• Dual ESS 9026PRO audiophile DACs with ESS reference voltage regulators</li> <li>• 7 Channels of high power Class G amplification</li> <li>• Wi-Fi / Ethernet, RS232 and IR control</li> <li>• Google Chromecast® built-in for streaming audio</li> <li>• Apple® Airplay2</li> <li>• Bluetooth aptX®HD</li> <li>• Free MusicLife iOS and Android UPnP app</li> <li>• Supports MQA</li> <li>• Room Ready</li> <li>• Weight: 39.9 lbs (18.1kg)</li> <li>• Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm</li> </ul>	<p>ARCAVR31EU</p> <p>EAN: 6925281994524</p>	7.950 €
AVR21	<ul style="list-style-type: none"> <li>• 16 Channels of Dolby Atmos, DTS:X &amp; AURO-3D decoding</li> <li>• 7 HDMI inputs, 3 HDMI outputs inc Zone 2, eARC compatible</li> <li>• HDMI 2.1 with HDCP2.3</li> <li>• All inputs support 8K@60fps and 4K@120fps</li> <li>• Supports Dolby Vision, HDR10+, HDR10 and HLG</li> <li>• Includes Dirac Live® room correction</li> <li>• Dual ESS 9026PRO audiophile DACs with ESS reference voltage regulators</li> <li>• 7 Channels of high power Class AB amplification</li> <li>• Wi-Fi / Ethernet, RS232 and IR control</li> <li>• Google Chromecast® built-in for streaming audio</li> <li>• Apple® Airplay2</li> <li>• Bluetooth aptX®HD</li> <li>• Free MusicLife iOS and Android UPnP app</li> <li>• Supports MQA</li> <li>• Room Ready</li> <li>• Weight: 36.6 lbs (16.6kg)</li> <li>• Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm</li> </ul>	<p>ARCAVR21EU</p> <p>EAN: 6925281994494</p>	5.300 €
AVR11	<ul style="list-style-type: none"> <li>• Dolby Atmos, DTS:X &amp; AURO-3D 7.1.4 decoding</li> <li>• 7 HDMI inputs, 2 HDMI outputs, eARC compatible</li> <li>• HDMI 2.1 with HDCP2.3</li> <li>• All inputs support 8K@60fps and 4K@120fps</li> <li>• Supports Dolby Vision, HDR10+, HDR10 and HLG</li> <li>• Includes Dirac Live® room correction</li> <li>• Dual ESS 9026PRO audiophile DACs with ESS reference voltage regulators</li> <li>• 7 Channels of Class AB power amplification</li> <li>• Wi-Fi / Ethernet, RS232 and IR control</li> <li>• Google Chromecast® built-in for streaming audio</li> <li>• Apple® Airplay2</li> <li>• Bluetooth aptX®HD</li> <li>• Free MusicLife iOS and Android UPnP app</li> <li>• Supports MQA</li> <li>• Room Ready</li> <li>• Weight: 36.4 lbs (16.5kg)</li> <li>• Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm</li> </ul>	<p>ARCAVR11EU</p> <p>EAN: 6925281994463</p>	3.990 €

# HDA SERIES

## Audio/Video Receivers & Processor

# ARCAM



Model Name	Description	Material Number	MSRP
AV41	<ul style="list-style-type: none"><li>• 16 Channels of Dolby Atmos, DTS:X &amp; AURO-3D decoding</li><li>• 7 HDMI inputs, 3 HDMI outputs inc Zone 2, eARC compatible</li><li>• HDMI 2.1 with HDCP2.3</li><li>• All inputs support 8K@60fps and 4K@120fps</li><li>• Supports Dolby Vision, HDR10+, HDR10 and HLG</li><li>• Includes Dirac Live<sup>®</sup> room correction</li><li>• Ready for Dirac Live Bass Control*</li><li>• Dual ESS 9026PRO audiophile DACs with ESS reference voltage regulators</li><li>• 16 transformerless balanced XLR output channels</li><li>• Pairs with PA720, PA240 &amp; PA410 power amplifiers</li><li>• Wi-Fi / Ethernet, RS232 and IR control</li><li>• Google Chromecast<sup>®</sup> built-in for streaming audio</li><li>• Apple<sup>®</sup> Airplay2</li><li>• Bluetooth aptX<sup>®</sup>HD</li><li>• Free MusicLife iOS and Android UPnP app</li><li>• Roon Ready and supports MQA</li><li>• Weight: 23.4 lbs (10.6kg)</li><li>• Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm</li></ul>	ARCAV41EU EAN: 6925281994555	6.360 €

# SOLO SERIES

# ARCAM



Model Name	Description	Material Number	MSRP
Solo Uno	<p>Streamer with built-in amplifier</p> <ul style="list-style-type: none"><li>• Frequency response: 10Hz - 20kHz</li><li>• Signal to Noise Ratio: 117dB</li><li>• Aux Input Sensitivity: 2V</li><li>• Power Requirements: 100 - 240VAC, 50/60Hz</li><li>• 50 Watt x2 amp built in</li><li>• Chromecast Suite built in</li><li>• Aux input for local source connection</li><li>• Streaming through MusicLife app</li><li>• Dimensions (W x H x D) 140 x 52 x 213mm</li><li>• Net Weight: 3.3 lbs (1.5kg)</li></ul>	ARCSOLOUNOEU EAN: 6925281946967	790 €

# RADIA SERIES

## Integrated Amplifiers

# ARCAM



Model Name	Description	Material Number	MSRP
SA45	<ul style="list-style-type: none"> <li>Continuous power output (0.5% THD), per channel</li> <li>2 channels driven, 20Hz - 20kHz, 8<math>\wedge</math>: 180W</li> <li>2 channels driven, 1kHz, 4<math>\wedge</math>: 300W</li> <li>Harmonic distortion, 80% power, 8<math>\wedge</math> at 1kHz:</li> </ul> <p>0.002% Analogue Inputs</p> <ul style="list-style-type: none"> <li>Number of inputs: 3 (RCA pairs) + 1 XLR pair</li> <li>Signal/noise ratio (A-wtd, ref. 50W, 1V input): 106dB</li> <li>Frequency response: 20Hz—20kHz <math>\pm</math> 0.2dB</li> <li>Phono MM and MC</li> </ul> <p>Digital Inputs</p> <ul style="list-style-type: none"> <li>Supported Streaming media: FLAC, WAV (LPCM), AAC, ALAC, AIFF, DSD (up to 1024), MP3, MP4, OGG, WMA</li> <li>Bit depths (bit): 16, 24, 32</li> <li>Supported Streaming sample rates (kHz): Up to 768 kHz</li> <li>Gapless Playback: Yes</li> <li>Digital Audio Inputs: 1x HDMI ARC, 2x Coaxial (RCA), 2x Optical (Toslink)</li> <li>Supported Digital input Bit depth: 16, 24</li> <li>Supported Digital input sample rates (kHz): Up to 192 kHz</li> <li>Frequency response (filter 1): 20Hz—20kHz <math>\pm</math> 0.2dB</li> <li>Signal/noise ratio (A-wtd, ref. 50W, 0dBFS): 110dB</li> </ul> <p>Wireless Specifications</p> <ul style="list-style-type: none"> <li>Bluetooth Profile: 5.2; A2DP Sink/Source, AVRCP, BLE, aptX, aptX HD, aptX Adaptive, AAC</li> <li>Bluetooth Transmitter Frequency and Power: 2,402 MHz to 2,480 MHz: &lt;13dBm</li> <li>Wi-Fi Network: IEEE 8002.11 a/b/g/n/ac/ax (2.4GHz/5GHz)</li> <li>2.4G Wi-Fi Transmitter Frequency Range and Power: 2400-2483.5 MHz (USA 11 Channels, Europe and Others 13 Channels): &lt;20dBm</li> <li>5G Wi-Fi Transmitter Frequency Range and Power: 5150-5250 MHz &lt;23dBm, 5250-5350 MHz &amp; 5470-5725 MHz &lt;20dBm, 5725-5850 MHz &lt;14dBm</li> </ul> <p>General</p> <ul style="list-style-type: none"> <li>Mains voltage: 100V or 110–120V or 220–240V, 50–60Hz</li> <li>Power consumption (maximum) 1500W</li> <li>Power consumption (standby) &lt;0.5W</li> <li>Dimensions W x D (including speaker terminals) x H (including feet): 431 x 344 x 143mm</li> <li>Weight (net): 17 kg</li> <li>Weight (packed) 20 kg</li> <li>Supplied accessories Mains lead(s)</li> <li>Remote control with 2 x AAA batteries</li> <li>Measurement Microphone</li> <li>5m USB Cable</li> </ul>	ARCSA45EU	5.300 €



# RADIA SERIES

## Integrated Amplifiers

# ARCAM



Model Name	Description	Material Number	MSRP
SA35	<ul style="list-style-type: none"> <li>• Continuous power output (0.5% THD), per channel</li> <li>• 2 channels driven, 20Hz - 20kHz, 8∧: 120W</li> <li>• 2 channels driven, 1kHz, 4∧: 220W</li> <li>• Harmonic distortion, 80% power, 8∧ at 1kHz:</li> </ul> <p>0.002% Analogue Inputs</p> <ul style="list-style-type: none"> <li>• Number of inputs: 3 (RCA pairs)</li> <li>• Signal/noise ratio (A-wtd, ref. 50W, 1V input): 106dB</li> <li>• Frequency response: 20Hz—20kHz ± 0.2dB</li> <li>• Phono MM and MC</li> </ul> <p>Digital Inputs</p> <ul style="list-style-type: none"> <li>• Supported Streaming media: FLAC, WAV (LPCM), AAC, ALAC, AIFF, DSD (up to 1024), MP3, MP4, OGG, WMA</li> <li>• Bit depths (bit): 16, 24, 32</li> <li>• Supported Streaming sample rates (kHz): Up to 768 kHz</li> <li>• Gapless Playback: Yes</li> <li>• Digital Audio Inputs: 1x HDMI ARC, 2x Coaxial (RCA), 2x Optical (Toslink)</li> <li>• Supported Digital input Bit depth: 16, 24</li> <li>• Supported Digital input sample rates (kHz): Up to 192 kHz</li> <li>• Frequency response (filter 1): 20Hz—20kHz ± 0.2dB</li> <li>• Signal/noise ratio (A-wtd, ref. 50W, 0dBFS): 110dB</li> </ul> <p>Wireless Specifications</p> <ul style="list-style-type: none"> <li>• Bluetooth Profile: 5.2; A2DP Sink/Source, AVRCP, BLE, aptX, aptX HD, aptX Adaptive, AAC</li> <li>• Bluetooth Transmitter Frequency and Power: 2,402 MHz to 2,480 MHz: &lt;13dBm</li> <li>• Wi-Fi Network: IEEE 8002.11 a/b/g/n/ac/ax (2.4GHz/5GHz)</li> <li>• 2.4G Wi-Fi Transmitter Frequency Range and Power: 2400-2483.5 MHz (USA 11 Channels, Europe and Others 13 Channels): &lt;20dBm</li> <li>• 5G Wi-Fi Transmitter Frequency Range and Power: 5150-5250 MHz &lt;23dBm, 5250-5350 MHz &amp; 5470-5725 MHz &lt;20dBm, 5725-5850 MHz &lt;14dBm</li> </ul> <p>General</p> <ul style="list-style-type: none"> <li>• Mains voltage: 100V or 110–120V or 220–240V, 50–60Hz</li> <li>• Power consumption (maximum) 800W</li> <li>• Power consumption (standby) &lt;0.5W</li> <li>• Dimensions W x D (including speaker terminals) x H (including feet): 431 x 344 x 98mm</li> <li>• Weight (net): 12 kg</li> <li>• Weight (packed) 14 kg</li> <li>• Supplied accessories Mains lead(s)</li> <li>• Remote control with 2 x AAA batteries</li> <li>• Measurement Microphone</li> <li>• 5m USB Cable</li> </ul>	ARCSA35EU	3.700 €

# RADIA SERIES

## Integrated Amplifiers

# ARCAM



Model Name	Description	Material Number	MSRP
<p data-bbox="451 592 485 609"><b>A25</b></p>	<p data-bbox="577 305 926 324"><b>Continuous power output (0.5% THD), per channel</b></p> <p data-bbox="577 326 877 345">2 channels driven, 20Hz - 20kHz, 8Ω: 100W</p> <p data-bbox="577 347 821 367">2 channels driven, 1kHz, 4Ω: 165W</p> <p data-bbox="577 368 940 388">Harmonic distortion, 80% power, 8Ω at 1kHz: 0.002%</p> <p data-bbox="577 389 688 409"><b>Analogue Inputs</b></p> <p data-bbox="577 410 793 430">Number of inputs: 3 (RCA pairs)</p> <p data-bbox="577 431 932 451">Signal/noise ratio (A-wtd, ref. 50W, 1V input): 106dB</p> <p data-bbox="577 453 877 472">Frequency response: 20Hz—20kHz ± 0.2dB</p> <p data-bbox="577 474 703 493"><b>Phono (MM) Input</b></p> <p data-bbox="577 495 800 514">Input impedance: 47kΩ + 100pF</p> <p data-bbox="577 516 672 535"><b>Digital Inputs</b></p> <p data-bbox="577 537 1146 557">Supported Sample Rates (kHz): USB-C : 384, 352.8, 192, 176.4, 96, 88.2, 48, 44.1</p> <p data-bbox="793 558 1108 578">Coaxial (RCA) : 192, 176.4, 96, 88.2, 48, 44.1</p> <p data-bbox="793 579 1123 599">Optical (Toslink) : 192, 176.4, 96, 88.2, 48, 44.1</p> <p data-bbox="793 600 1054 620">USB-C only : 1024, 512, 256, 128, 64</p> <p data-bbox="577 621 682 641">Supported DSD</p> <p data-bbox="577 643 758 662">Bit depths (bit) : 32, 24, 16</p> <p data-bbox="577 664 940 683">Frequency response (filter 1) : 20Hz—20kHz ± 0.2dB</p> <p data-bbox="577 685 924 704">Signal/noise ratio (A-wtd, ref. 50W, 0dBFS) : 110dB</p> <p data-bbox="577 706 709 725"><b>Headphone Output</b></p> <p data-bbox="577 727 942 747">Maximum output level (RMS) into 32Ω/300Ω: 2.5V/5V</p> <p data-bbox="577 748 730 768">Load range: 16Ω - 2kΩ</p> <p data-bbox="577 769 636 789"><b>General</b></p> <p data-bbox="577 790 989 810">Mains voltage = 100V or 110–120V or 220–240V, 50–60Hz</p> <p data-bbox="577 812 837 831">Power consumption (maximum): 500W</p> <p data-bbox="577 833 837 852">Power consumption (standby): &lt;0.5W</p> <p data-bbox="577 854 1171 873">Dimensions W x D (including speaker terminals) x H (including feet): 431 x 344 x 83mm</p> <p data-bbox="577 875 693 894">Weight (net): 9kg</p> <p data-bbox="577 896 732 915">Weight (packed): 12kg</p>	<p data-bbox="1465 592 1568 609"><b>ARCA25EU</b></p>	<p data-bbox="1780 592 1850 609"><b>1.880 €</b></p>
<p data-bbox="451 1182 485 1198"><b>A15</b></p>	<p data-bbox="577 915 926 935"><b>Continuous power output (0.5% THD), per channel</b></p> <p data-bbox="577 937 869 956">2 channels driven, 20Hz - 20kHz, 8Ω: 80W</p> <p data-bbox="577 958 821 977">2 channels driven, 1kHz, 4Ω: 120W</p> <p data-bbox="577 979 940 998">Harmonic distortion, 80% power, 8Ω at 1kHz: 0.002%</p> <p data-bbox="577 1000 688 1019"><b>Analogue Inputs</b></p> <p data-bbox="577 1021 793 1040">Number of inputs: 3 (RCA pairs)</p> <p data-bbox="577 1042 932 1062">Signal/noise ratio (A-wtd, ref. 50W, 1V input): 106dB</p> <p data-bbox="577 1063 877 1083">Frequency response: 20Hz—20kHz ± 0.2dB</p> <p data-bbox="577 1084 703 1104"><b>Phono (MM) Input</b></p> <p data-bbox="577 1105 800 1125">Input impedance: 47kΩ + 100pF</p> <p data-bbox="577 1127 672 1146"><b>Digital Inputs</b></p> <p data-bbox="577 1148 1108 1167">Supported Sample Rates (kHz): Coaxial (RCA) : 192, 176.4, 96, 88.2, 48, 44.1</p> <p data-bbox="793 1169 1123 1188">Optical (Toslink) : 192, 176.4, 96, 88.2, 48, 44.1</p> <p data-bbox="577 1190 732 1209">Bit depths (bit) : 24, 16</p> <p data-bbox="577 1211 940 1230">Frequency response (filter 1) : 20Hz—20kHz ± 0.2dB</p> <p data-bbox="577 1232 924 1252">Signal/noise ratio (A-wtd, ref. 50W, 0dBFS) : 109dB</p> <p data-bbox="577 1253 709 1273"><b>Headphone Output</b></p> <p data-bbox="577 1274 942 1294">Maximum output level (RMS) into 32Ω/300Ω: 2.5V/5V</p> <p data-bbox="577 1295 730 1315">Load range: 16Ω - 2kΩ</p> <p data-bbox="577 1317 636 1336"><b>General</b></p> <p data-bbox="577 1338 989 1357">Mains voltage = 100V or 110–120V or 220–240V, 50–60Hz</p> <p data-bbox="577 1359 837 1378">Power consumption (maximum): 500W</p> <p data-bbox="577 1380 837 1399">Power consumption (standby): &lt;0.5W</p> <p data-bbox="577 1401 1171 1421">Dimensions W x D (including speaker terminals) x H (including feet): 431 x 344 x 98mm</p> <p data-bbox="577 1422 703 1442">Weight (net): 10kg</p> <p data-bbox="577 1443 732 1463">Weight (packed): 13kg</p>	<p data-bbox="1465 1182 1568 1198"><b>ARCA15EU</b></p>	<p data-bbox="1780 1182 1850 1198"><b>1.320 €</b></p>

# RADIA SERIES

## Integrated Amplifiers

# ARCAM



Model Name	Description	Material Number	MSRP
A5	<p><b>Continuous power output (0.5% THD), per channel</b>            2 channels driven, 20Hz - 20kHz, 8Ω: 50W            2 channels driven, 1kHz, 4Ω: 75W            Harmonic distortion, 80% power, 8Ω at 1kHz: 0.003%</p> <p><b>Analogue Inputs</b>            Number of inputs: 3 (RCA pairs)            Signal/noise ratio (A-wtd, ref. 50W, 1V input): 106dB            Frequency response: 20Hz—20kHz ± 0.2dB</p> <p><b>Phono (MM) Input</b>            Input impedance: 47kΩ + 100pF</p> <p><b>Digital Inputs</b>            Supported Sample Rates (kHz): Coaxial (RCA): 192, 176.4, 96, 88.2, 48, 44.1            Optical (Toslink): 192, 176.4, 96, 88.2, 48, 44.1</p> <p>Bit depths (bit): 24, 16            Frequency response (filter 1): 20Hz—20kHz ± 0.2dB            Signal/noise ratio (A-wtd, ref. 50W, 0dBFS): 109dB</p> <p><b>Headphone Output</b>            Maximum output level (RMS) into 32Ω/300Ω: 2.5V/5V            Load range: 16Ω - 2kΩ</p> <p><b>General</b>            Mains voltage = 100V or 110–120V or 220–240V, 50–60Hz            Power consumption (maximum): 350W            Power consumption (standby): &lt;0.5W            Dimensions W x D (including speaker terminals) x H (including feet): 431 x 344 x 83mm            Weight (net): 8kg            Weight (packed): 11kg</p>	ARCA5EU	895 €

# RADIA SERIES

## Audio Players

# ARCAM



Model Name	Description	Material Number	MSRP
ST25	<ul style="list-style-type: none"><li>• Works with (apps): ARCAM Radia, Spotify Connect, Tidal Connect, Roon</li><li>• Works with (services): Apple Airplay, Chromecast</li><li>• ARCAM Radia supported services (Global): Internet Radio, Podcasts, UPnP, USB Media (using USB-A mass storage input)</li><li>• Audio Section</li><li>• Supported media: FLAC, WAV (LPCM), AAC, ALAC, AIFF, DSD (up to 1024), MP3, MP4, OGG, WMA</li><li>• Supported Bit depth: 16, 24, 32</li><li>• Supported sample rates (kHz): Up to 768 kHz</li><li>• Gapless Playback: Yes</li><li>• Digital Audio Outputs: 1x Coaxial (RCA), 1x Optical (Toslink)</li><li>• Analogue Audio Outputs: 1x Stereo (RCA) pair</li><li>• Wireless Specification</li><li>• Wi-Fi Network IEEE 8002.11 a/b/g/n/ac/ax (2.4GHz/5GHz)</li><li>• 2.4G Wi-Fi Transmitter Frequency Range and Power 2400-2483.5 MHz (USA 11 Channels, Europe and Others 13 Channels):&lt;20dBm</li><li>• 5G Wi-Fi Transmitter Frequency Range and Power 5150-5250 MHz &lt;23dBm, 5250-5350 MHz &amp; 5470-5725 MHz &lt;20dBm, 5725-5850 MHz &lt;14dBm</li><li>• General</li><li>• Mains voltage: 100V or 110–120V or 220–240V, 50–60Hz</li><li>• Power consumption: 25W</li><li>• Power consumption (Eco standby): &lt;0.5W</li><li>• Dimensions W x D (including speaker terminals) x H (including feet): 431 x 344 x 98mm</li><li>• Weight (net): 5 kg</li><li>• Weight (packed): 7 kg</li><li>• Supplied accessories Mains lead(s)</li><li>• Remote control with 2 x AAA batteries</li></ul>	<b>ARCST25EU</b>	<b>1.890 €</b>

# RADIA SERIES

## Audio Players

# ARCAM



Model Name	Description	Material Number	MSRP
ST5	<p>Supported Hi-res media: FLAC, WAS (LPCM), MQA, AAC, ALAC, AIFF, DSD (128)</p> <p>Supported Hi-res Bit depth: 16, 24</p> <p>Supported samples rates (kHz): 44.1, 48, 88.2, 96, 176.4, 192</p> <p>Supported media: MP3, MP4, OGG, WMA</p> <p>Supported Bit depth: 16</p> <p>Supported samples rates (kHz): 44.1, 48</p> <p>Gapless Playback: Yes</p> <p>Digital Outputs: 1x Coaxial (RCA), 1x Optical (Toslink)</p> <p>Analogue Outputs: 1x Stereo (RCA) pair</p> <p>Frequency response (filter 1): 20Hz—20kHz ± 0.05dB</p> <p>Mains voltage: 100V or 110–120V or 220–240V, 50–60Hz</p> <p>Power consumption: 12W</p> <p>Power consumption (Eco standby): &lt;0.5W</p> <p>Dimensions W x D (including speaker terminals) x H (including feet) : 431 x 344 x 83mm</p> <p>Weight (net) : 3.5 kg</p> <p>Weight (packed) : 5.6 kg</p>	ARCST5EU	995 €
CD5	<p>Supported media: CD (Audio), CD-R (Audio/Data), CD-RW (Audio/Data), USB-A (Data)</p> <p>Supported files (Data): WAV (LPCM), FLAC, MP3, AAC, WMA</p> <p>Supported Bit depth: 16 bit – 24 bit</p> <p>Supported sample rates (kHz): 32, 44.1, 48, 88.2 (WAV &amp; FLAC only), 96 (WAV &amp; FLAC only)</p> <p>Outputs: 1x Analogue Stereo (RCA) pair, 1x Digital Coaxial (RCA), 1x Digital Optical (Toslink)</p> <p>Frequency Response (filter 1): 20Hz - 20kHz ± 0.05dB</p> <p>Max Analogue Output (0dBFS): 2.1V rms</p> <p>SNR (A-wtd, ref. 16-bit/24-bit, 0dBFS): 93dB/115dB</p> <p>Mains Voltage &amp; Power Consumption: AC 100-240V, 50/60 Hz, 12W</p> <p>Dimensions : W x D x H (including feet) 431 x 344 x 83mm</p> <p>Supplied Accessories: Mains lead(s), Remote control with 2 x AAA batteries, Quick Start Guide, Important Safety Instructions</p> <p>Product Weight: 6 kg</p> <p>Shipping Weight: 9 kg</p>	ARCD5EU	845 €

## Terms and Conditions of Sale

**THIS PRICE LIST CANCELS ALL PREVIOUS LISTS AND IS VALID UNTIL FURTHER NOTICE.**

**ALL PRICES, SPECIFICATIONS, APPEARANCE, and TERMS AND CONDITIONS OF SALE ARE SUBJECT TO CHANGE WITHOUT NOTICE.**

**E&OE**

**PRICES EFFECTIVE 16 December 2024**



HARMAN Luxury Audio Group  
The West Wing, Stirling House,  
Waterbeach,  
Cambridge.  
CB25 9PB  
Phone: +44 (0)1223 203200  
Orders: [luxurysales@harman.com](mailto:luxurysales@harman.com)  
Technical Support: [csupport@harman.com](mailto:csupport@harman.com)

[www.arcam.co.uk](http://www.arcam.co.uk)

© 2024 HARMAN International Industries, Incorporated. All rights reserved.