


Suggested Minimum Retail Prices (Sep 2026)

Power Conditioners			SRP
POWERMASTER			
Flagship Model. 12 outputs. DC Blocker, Distribution bars - silvered OFC 90 QMM, Multipoint PCB terminals, Ground noise filtering system			
			
	with LS-2 EVO cable		26.900 €
PC-4 EVO+ ver.'24			
Reference Model. 12 outputs. DC Blocker. Distribution bars - silvered OFC 45 QMM. Internal wiring - silvered OFHC 4 QMM.			
	with LS-2 EVO cable		15.990 €
	with LS-1 EVO+ cable		14.750 €
	with PowerSync ULTRA cable		13.690 €
PC-3 SE EVO+			
6 outputs. DC Blocker. Distribution bars - silvered OFC 30 QMM. Internal wiring - silvered OFHC 4 QMM.			
	with LS-2 EVO cable		11.800 €
	with LS-1 EVO+ cable		10.400 €
	with PowerSync ULTRA cable		9.360 €
	with LC-2 EVO cable		8.670 €
PC-3 EVO+			
6 outputs. DC Blocker. Distribution bars - OFC 30 QMM. Internal wiring - silvered OFHC 4 QMM.			
	with LS-1 EVO+ cable		8.670 €
	with PowerSync ULTRA cable		7.630 €
	with LC-2 EVO cable		7.100 €
	with PowerSync PLUS cable		6.850 €
PC-2 EVO+			
6 outputs. DC Blocker. Distribution bars - OFC 30 QMM. Internal wiring - OFHC 2,5 QMM.			
	with LS-1 EVO+ cable		7.250 €
	with PowerSync ULTRA cable		6.220 €
	with LC-2 EVO cable		5.590 €
	with PowerSync PLUS cable		5.430 €
POWERCONTROL			
12 outputs. DC Blocker, Distribution bars OFC 30 QMM. Internal wiring OFHC 4,0 QMM. RLC Filtering Block. 16A Relay			
	with LS-1 EVO+ cable		8.880 €
	with PowerSync ULTRA cable		7.930 €
	with LC-2 EVO cable		7.400 €
	with PowerSync PLUS cable		7.260 €
POWERPRIME			
6 outputs. DC Blocker, Distribution bars OFC 30 QMM. Internal wiring OFHC 4,0 QMM. RLC Filtering Block. 16A Relay			
	with PowerSync ULTRA cable		4.390 €
	with LC-2 EVO cable		3.810 €
	with PowerSync PLUS cable		3.650 €

Power Strips				
PF-2 SE EVO+				
6 outputs. Metal Shielded Chassis. Distribution bars - Silvered OFC 30 QMM. Internal wiring - Silvered OFHC 4 QMM. Advanced RLC filtering block. Iron Powder Filtering Cores. LED indicators of proper work and polarization. Graphite -Gray colour.				
		with LS-1 EVO+ cable	4.030 €	
		with PowerSync ULTRA cable	3.100 €	
PF-2 EVO+				
6 outputs. Metal Shielded Chassis. Distribution bars - OFC 30 QMM. Internal wiring - GigaWatt Powerlink OFHC 4 QMM. Advanced RLC filtering block. Iron Powder Filtering Cores. LED indicators of proper work and polarization.				
		with PowerSync ULTRA cable	2.430 €	
		with LC-2 EVO cable	1.810 €	
		with PowerSync PLUS cable	1.655 €	
		with PowerSync cable	1.490 €	
PF-1 EVO+				
6 outputs. Metal Shielded Chassis. Distribution bars - OFC 30 QMM. Internal wiring - OFHC 4 QMM. Iron Powder Filtering Cores. LED.				
		with LC-2 EVO cable	1.120 €	
		with PowerSync PLUS cable	935 €	
		with PowerSync cable	820 €	
PF-1e				
6 outputs. Metal Shielded Chassis. Internal wiring - OFHC 2,5 QMM. Iron Powder Filtering Cores.				
		with PowerSync PLUS cable	830 €	
		with PowerSync cable	730 €	
		without cable	520 €	
Power Cords				
LS-2 EVO				
	Silver plated OFHC, solid-core, twisted conductors. FEP dielectric, Multi Layer PVC external isolation. Copper shielding. SE version Loss-free Nano-crystal Alloys Passive Filter. G-050 SM/G-070 SM Metal Body, Rhodium Plated Plugs.		1,5 m	3.940 €
			next 0,5 m	1.345 €
LS-1 EVO+				
	Silver plated OFHC, solid-core, twisted conductors. FEP dielectric, Multi Layer PVC external isolation. Copper shielding. Loss-free Nano-crystal Alloys Passive Filter. G-015/G-035 Metal Body, Rhodium Plated Plugs.		1,5 m	2.450 €
			next 0,5 m	785 €
PowerSync ULTRA				
	8x 1,6 QMM. OFHC multistrand (7 leads) conductors. PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-050SM/G-070SM Metal Body, Rhodium Plated Plugs.		1,5 m	1.295 €
			next 0,5 m	240 €
LC-2 EVO				
	7 x 1,5 QMM. OFHC solid-core conductors. PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-010/G-030 Rhodium Plated Plugs.		1,5 m	615 €
			1,0 m	580 €
			next 0,5 m	105 €

PowerSync PLUS			
	3x 2,5 QMM. OFHC multistrand (12 strands per lead). PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-010/G-030 Standard Plugs.	1,5 m	430 €
		1 m	380 €
		next 0,5 m	75 €
PowerSync			
	3x 2.0 QMM. OFHC multistrand (10 strands per lead). PE dielectric. PVC external isolation. Aluminum foil static shield, 100% coverage. G-010/G-030 Standard Plugs.	1,5 m	300 €
		1 m	265 €
		next 0,5 m	52 €

Accessories			
	G-040 SCHUKO for Assembly		40 €
	G-044 SCHUKO Wall Socket		145 €
	G-044 Duplex SCHUKO Wall Socket		230 €
	IEC320-C5 / IEC320-C7 Plug Adapter		37 €
	LC-Y EVO 3x4 In-Wall Cable (1 meter)		40,5€
	PowerSync Power Supply cable (1 meter)		50,5 €
	G-16A Installation Circuit Breaker		260 €
	G-16A 2P 2-Pole Installation Circuit Breaker		525 €
	Rolling-Ball Isolation System Anti-Vibration Feet 4 pcs set in a Wooden Box		775 €
	Rolling-Ball Full Ceramic Isolation System Anti-Vibration Feet 4 pcs set in a Wooden Box		1.295 €
Options			
	Customized LED display color		95 €
	Rolling-Ball Isolation System Anti-Vibration Feet for PC conditioners		625 €