

THORENS®



Retail Price List 2019

Retail Price List 2019

Model	Description	Finish	RRP
Fully automatic Turntables			
TD 158	Easy-to-use entry-level fully automatic turntable, Cartridge TAS 257	black	399 €
TD 170-1	Plug-and-play fully automatic turntable, Cartridge OM 10	black	495 €
TD 170-1	Plug-and-play fully automatic turntable, Cartridge OM 10	silver	495 €
TD 170 EV	Plug-and-play fully automatic turntable with integrated phono stage, Cartridge OM 10	black	540 €
TD 170 EV	Plug-and-play fully automatic turntable with integrated phono stage, Cartridge OM 10	silver	540 €
TD 190-2	Easy-to-use, high-quality fully automatic turntable, 33/45/78 rpm, Cartridge OM 10	black	575 €
TD 190-2	Easy-to-use, high-quality fully automatic turntable, 33/45/78 rpm, Cartridge OM 10	silver	575 €
TD 240-2	Classic fully automatic turntable, 33/45/78 rpm, TP19-1 Tonearm, Cartridge TAS 267	black structure	795 €
TD 240-2	Classic fully automatic turntable, 33/45/78 rpm, TP19-1 Tonearm, Cartridge TAS 267	black hg	910 €
TD 240-2	Classic fully automatic turntable, 33/45/78 rpm, TP19-1 Tonearm, Cartridge TAS 267	walnut	910 €
TD 148 A	Fully automatic turntable with solid wood plinth, glass platter and resonance optimized tonearm, 33/45/78 rpm, Cartridge TAS 267	black hg	1.690 €
TD 148 A	Fully automatic turntable with solid wood plinth, glass platter and resonance optimized tonearm, 33/45/78 rpm, Cartridge TAS 267	walnut hg	1.690 €
Manual Turntables			
TD 201	Manual belt drive turntable with RIAA phono stage, Cartridge AT 3600	black hg	500 €
TD 201	Manual belt drive turntable with RIAA phono stage, Cartridge AT 3600	white hg	500 €
TD 202	Manual belt drive turntable with RIAA phono stage and USB out, Cartridge AT 95E	black hg	655 €
TD 203	Puristical turntable with uni-pivot tonearm TP 82, Cartridge TAS 257	red hg	800 €
TD 203	Puristical turntable with uni-pivot tonearm TP 82, Cartridge TAS 257	white hg	800 €
TD 203	Puristical turntable with uni-pivot tonearm TP 82, Cartridge TAS 257	black hg	800 €
TD 206	Manual turntable with classic design, three part platter and new TP 90 tonearm, Cartridge TAS 267	white hg	1.065 €
TD 206	Manual turntable with classic design, three part platter and new TP 90 tonearm, Cartridge TAS 267	red hg	1.065 €
TD 206	Manual turntable with classic design, three part platter and new TP 90 tonearm, Cartridge TAS 267	black hg	1.065 €
TD 206	Manual turntable with classic design, three part platter and new TP 90 tonearm, Cartridge TAS 267	mahogani	1.200 €
TD 206	Manual turntable with classic design, three part platter and new TP 90 tonearm, Cartridge TAS 267	makassar	1.200 €
TD 209	Manual belt drive turntable with three-part platter and TP 90 tonearm, Triangel Design, Cartridge TAS 267	white hg	1.065 €
TD 209	Manual belt drive turntable with three-part platter and TP 90 tonearm, Triangel Design, Cartridge TAS 267	red hg	1.065 €
TD 209	Manual belt drive turntable with three-part platter and TP 90 tonearm, Triangel Design, Cartridge TAS 267	black hg	1.065 €

Model	Description	Finish	RRP
Manual Turntables			
TD 309	Manual turntable with Tri-Balance-Subchassis, glass platter and TP 92 tonearm, Cartridge TAS 267, Triangel Design.	white hg	1.670 €
TD 309	Manual turntable with Tri-Balance-Subchassis, glass platter and TP 92 tonearm, Cartridge TAS 267, Triangel Design.	red hg	1.670 €
TD 309	Manual turntable with Tri-Balance-Subchassis, glass platter and TP 92 tonearm, Cartridge TAS 267, Triangel Design.	black hg	1.670 €
Direct Drive Turntables			
TD 402 DD	Innovative direct drive turntable with carbon tonearm, integrated phono stage, auto shut off, Cartridge AT VM95 E	black hg	885 €
TD 402 DD	Innovative direct drive turntable with carbon tonearm, integrated phono stage, auto shut off, Cartridge AT VM95 E	walnut hg	885 €
Acrylic Design Turntables			
TD 2015 BC	Turntable without tonearm, Drillings for specific tonearms available	acrylic clear	3.180 €
TD 2015 A	Turntable with TP 92 tonearm	acrylic clear	3.820 €
TD 2035 white BC	Turntable without tonearm, Drillings for specific tonearms available	acrylic white	4.530 €
TD 2035 white TP 92	Turntable with TP 92 tonearm	acrylic white	5.200 €
TD 2035 black BC	Turntable without tonearm, Drillings for specific tonearms available	acrylic black	4.530 €
TD 2035 black TP92	Turntable with TP 92 tonearm	acrylic black	5.200 €
High End class			
TD550	High End turntable, tonearm Ortofon TA-110, 9"	black piano	11.410 €
TD550	High End turntable, tonearm Ortofon TA-110, 9"	makassar	11.510 €
TD550	High End turntable, tonearm SME M2, 9"	black piano	12.380 €
TD550	High End turntable, tonearm SME M2, 9"	makassar	12.480 €
TD550	High End turntable, tonearm SME 309, 9"	black piano	13.410 €
TD550	High End turntable, tonearm SME 309, 9"	makassar	13.510 €
TD550	High End turntable without tonearm, Drillings available	piano black	9.555 €
TD550	High End turntable without tonearm, Drillings available	makassar	9.655 €
TD 907 white BC	High End sub chassis turntable with advanced damping. Aluminium sandwich platter without tonearm	white	10.750 €
TD 907 white TP92 OEM II	High End sub chassis turntable with advanced damping. Aluminium sandwich platter and 10" tonearm	white	11.630 €
TD 907 anthracite BC	High End sub chassis turntable with advanced damping. Aluminium sandwich platter without tonearm	anthracite	10.750 €
TD 907 anthracite TP92 OEM II	High End sub chassis turntable with advanced damping. Aluminium sandwich platter and 10" tonearm	anthracite	11.630 €
TD 907 Zebrano BC	High End sub chassis turntable with advanced damping. Aluminium sandwich platter without tonearm	Zebrano	10.750 €
TD 907 Zebrano TP92 OEM II	High End sub chassis turntable with advanced damping. Aluminium sandwich platter and 10" tonearm	Zebrano	11.630 €
TD 1600/TP 92/walnut hg	Manual High End sub chassis turntable with balanced outputs (XLR) and tonearm TP 92.	walnut hg	3.000 €
TD 1600/TP 92/black hg	Manual High End sub chassis turntable with balanced outputs (XLR) and tonearm TP 92.	black hg	3.000 €
TD 1601/TP 92/walnut hg	High End sub chassis turntable with electrical lift, auto shut off, balanced outputs and tonearm TP 92.	walnut hg	3.600 €
TD 1601/TP 92/black hg	High End sub chassis turntable with electrical lift, auto shut off, balanced outputs and tonearm TP 92.	black hg	3.600 €

Model	Description	Finish	RRP
Thorens Tonarm			
TP92 OEM I, 9"	Tonarm TP92, OEM I Version, 9"		990 €
TP92 OEM II, 9"	Tonarm TP92, OEM II MiniDin 5-Pin, 9"		1.040 €
TP92 OEM I, 10"	Tonarm TP92, OEM I Version, 10"		1.095 €
TP92 OEM II, 10"	Tonarm TP92, OEM II MiniDin 5-Pin, 10"		1.145 €
TP92 OEM I, 12"	Tonarm TP92, OEM I Version, 12"		1.300 €
TP92 OEM II, 12"	Tonarm TP92, OEM II MiniDin 5-Pin, 12"		1.355 €
Elektronik Line Phono Preamp			
TEP 302 ash black	High End Phono Stage MM/MC	ash tree	1.790 €
TEP 302 bordeaux	High End Phono Stage MM/MC	ash tree bordeaux	1.790 €
MM-002 black	Phono Stage for MM	black	189 €
MM-008 silver	Phono Stage for MM/MC	silver	299 €
MM-008ADC silver	Phono Stage for MM/MC and USB out	silver	399 €
MM-FLEX black	Phono Stage for MM, very compact, for easy mounting at the back of turntables	black	179 €
Accessories			
	Carbon Brush		15 €
new Version	Thorens Stabilizer chrome		159 €
	Stylus Gauge		15 €
new!	Oil for Platter Bearing		10 €
	Cleaning Set		99 €
	Stylus Cleaner		20 €
	Velvet record Brush		15 €
Standard Accessories			
	Euro power pack AC/AC 15/16 V		35 €
TAS 267	Thorens Cartridge TAS 267 black		59 €
TAS 257	Thorens Cartridge TAS 257 black		30 €
Cinch-Phono-Kabel	RCA-Phono-Cable with Thorens Logo, 1.0 m		29 €
Platter Mats			
Platter Mat DM207	Platter mat cork/rubber		45 €
Platter Mat DM208	Platter mat cork		35 €
Felt Mat black, red Logo	Platter mat felt, black with red Thorens Logo		25 €
Felt Mat red, white Logo	Platter mat felt, red with white Thorens Logo		25 €
Belts Accessories			
	Thorens standard belt		25 €
	Thorens belt for TD 280 MKIV		30 €
	Thorens belt for TD124		30 €
	Thorens belt for TD180		30 €
	Thorens for acrylic series, TD 350, TD 550, TD 800 series		35 €
	Thorens belt for Reference		35 €
	Thorens belt for Prestige		35 €

Valid from May 2019

Included 24% VAT

ALL ABOUT AUDIO VIDEO AE

Σίφνου 8,

15344

Γέρακας Αττικής

Τηλ 2130 998 206

www.allaboutav.gr

info@aaav.gr

TD158 Turntable



Specs	
Function	automatic
Drive System	internal belt
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45 rpm.
Speed select	electronically
Platter	12" / 0,4 kg (Aluminium)
Tonearm	Thorens TP 17
Cartridge	Thorens TAS 257
Anti-Skating	Spring
Shut off	automatically
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	420 x 130 x 360 mm (W x H x D)
Finish	black structured enamel
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Operating instructions
EAN Code	4250019103421

TD170-1 Turntable



Specs	
Function	automatic
Drive System	internal belt
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45 rpm.
Speed select	electronically
Platter	12" / 0,4 kg (Aluminium)
Tonearm	Thorens TP 18
Cartridge	Ortofon OM 10
Anti-Skating	Spring
Shut off	automatically
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	420 x 130 x 360 mm (W x H x D)
Finish	black or silver structured enamel
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Operating instructions
EAN Code black	4005522927527
EAN Code silver	4005522928012

TD170-EV Turntable



Specs	
Function	automatic
Drive System	internal belt
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45 rpm.
Speed select	electronically
Platter	12" / 0,4 kg (Aluminium)
Tonearm	Thorens TP 18
Cartridge	Ortofon OM 10
Anti-Skating	Spring
Shut off	automatically
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	420 x 130 x 360 mm (W x H x D)
Finish	black or silver structured enamel
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Operating instructions, Built in Phono amplifier
EAN Code black	4250019102806
EAN Code silver	4250019102813
Phono Stage	integrated Phono Stage for MM

TD190-2 Turntable



Specs

Function	automatic
Drive System	internal belt
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45, 78 rpm.
Speed select	electronically
Platter	12" / 0,7 kg (Aluminium)
Tonearm	Thorens TP 19-1
Cartridge	Ortofon OM 10
Anti-Skating	Spring
Shut off	mechanically
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	420 x 130 x 360 mm (W x H x D)
Finish	black or silver structured enamel
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Operating instructions
EAN Code black	4250019108938
EAN Code silver	4250019108945

TD240 MK2 Turntable



Specs	
Function	automatic
Drive System	internal belt
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45, 78 rpm.
Speed select	electronically
Platter	12" / 0,7 kg (Aluminium)
Tonearm	Thorens TP 19-1
Cartridge	Thorens TAS 267
Anti-Skating	Spring
Shut off	automatically
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	430 x 130 x 365 mm (W x H x D)
Finish	solid wooden plinth with black piano laquer, black structured enamel, walnut veneer
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Operating instructions
EAN Code black structure	4250019108976
EAN Code black high gloss	4250019108952
EAN Code black walnut	4250019108969

TD148 A Turntable



Specs	
Function	automatic
Drive System	internal belt
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45, 78 rpm.
Speed select	electronically
Platter	12" / 2,3 kg (Glass)
Tonearm	Thorens TP 95
Cartridge	AT 95E
Anti-Skating	Spring
Shut off	automatically
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	430 x 140 x 370 mm (W x H x D)
Finish	solid wooden plinth with black piano laquer, walnut veneer
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Operating instructions
EAN Code	4260623590074 (black); 4260623590081 (walnut)

TD201 Turntable



Specs	
Function	manual
Drive System	Belt
Motor	DC-Motor
Speed	33-1/3, 45 rpm.
Speed select	electronical
Platter	Aluminium
Tonearm	Thorens TP71, detachable headshell
Cartridge	Audio Technica AT3600
Phono Pre amp (RIAA)	yes, switchable
USB connector	no
Anti-Skating	yes
Shut off	no
Cable Capacitance	
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	420 x 355 x 121 (W x D x H)
Finish	black high gloss
Scope of Delivery	Power adaptor, Dust cover (Acrylic), RCA cable Platter mat (rubber), manual
EAN Code black	4260623590005
EAN Code white	4260623590029

TD202 Turntable



Specs	
Function	manual
Drive System	Belt
Motor	DC-Motor
Speed	33-1/3, 45 rpm.
Speed select	electronical
Platter	Aluminium
Tonearm	Thorens TP71, detachable headshell
Cartridge	Audio Technica AT 95E
Phono Pre amp (RIAA)	yes, switchable
USB connector	yes
Anti-Skating	yes
Shut off	no
Cable Capacitance	
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	420 x 355 x 141 (W x D x H)
Finish	black high gloss
Scope of Delivery	Power adaptor, Dust cover (Acrylic), RCA cable USB cable, Platter mat (rubber), manual
EAN Code	4260623590012

TD203 Turntable



Specs	
Function	manual
Drive System	internal belt
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45 rpm.
Speed select	electronically
Platter	12" / 0,8 kg (ABS)
Tonearm	Thorens TP 82
Cartridge	Thorens TAS 257 (MM)
Anti-Skating	Weight
Shut off	none
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	400 x 92,6 x 320 mm (W x H x D)
Finish	Piano black, Piano white, Piano red
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Stylus gauge, Cartridge alignment protractor, Operating instructions, spirit level
EAN Code high gloss black	4260270220904
EAN Code high gloss white	4260270220928
EAN Code high gloss red	4260270220911

TD206 Turntable



Specs

Function	manual
Drive System	internal belt
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45 rpm.
Speed select	electronically
Platter	12" / 0,9 kg (Aluminium)
Tonearm	Thorens TP 90
Cartridge	Thorens TAS 267 (MM)
Anti-Skating	magnetically
Shut off	none
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz), 6 W min
Dimensions	475 x 125 x 370 mm (W x H x D)
Finish	Piano black, Piano white, Piano red, hgl. Mahogany, hgl. Macassar
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Stylus gauge, Cartridge alignment protractor, Operating instructions, spirit level
EAN Code high gloss black	4260270220799
EAN Code high gloss white	4260270220805
EAN Code high gloss red	4260270220812
EAN Code makassar	4260270221093
EAN Code mahogany	4260270221086

TD209 Turntable



Specs	
Function	manual
Drive System	internal belt
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45 rpm.
Speed select	electronically
Platter	12" / 0,9 kg (Aluminium)
Tonearm	Thorens TP 90
Cartridge	Thorens TAS 267 (MM)
Anti-Skating	magnetically
Shut off	none
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz), 6 W min
Dimensions	475 x 125 x 370 mm (W x H x D)
Finish	Piano black, Piano white, Piano red
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Stylus gauge, Cartridge alignment protractor, Operating instructions, spirit level
EAN Code high gloss black	4260270220829
EAN Code high gloss white	4260270220836
EAN Code high gloss red	4260270220843

TD309 Turntable



Specs	
Function	manual, Tri Balance Subchassis
Drive System	belt, sub platter aluminium
Motor	electronically controlled DC-Motor
Speeds	33-1/3, 45 rpm.
Speed select	electronically
Platter	12" / 2,3 kg (Glass)
Tonearm	Thorens TP 92
Cartridge	Thorens TAS 267 (MM)
Anti-Skating	magnetically
Shut off	none
Cable Capacitance	160 pF
Power supply	external Mains adaptor (110-230 V, 50-60 Hz), 6 W min
Dimensions	470 x 125 x 430 mm (W x H x D)
Finish	Piano black, Piano white, Piano red
Scope of Delivery	Mains adaptor, Dust cover (acrylic), RCA interconnects Stylus gauge, Cartridge alignment protractor, Operating instructions, spirit level
EAN Code high gloss black	4250019119637
EAN Code high gloss white	4250019119644
EAN Code high gloss red	4250019119651

TD402 DD Turntable



Specs	
Function	Manual turntable with auto shut off, integrated phono stage
Drive system	Direct Ddrive
Motor	DC Motor
Speed	33-1/3, 45 RPM
Speed select	electronical
Platter	damped aluminium
Tonearm	carbon tube, detachable head shell
Anti-Skating	yes
Cartridge	AT VM95 E
Auto shut off	yes
Power Supply	external Power Supply 24 V DC
Dimensions	421 x 355 x 141 mm (W x H x D)
Weight	5,8 kg
Finish	black hgl, walnut hgl, top board aluminium
Scope of delivery	Power Supply, acrylic dust cover, RCA cable
EAN Code	black hgl 4260623590012 walnut hgl 4260623590067

TD1600 Turntable



Specs

Function	Manual turntable with sub chassis
Drive system	Belt, sub platter aluminium
Motor	electronically controlled and stabilized AC synchronous motor.
Speed	33-1/3, 45 RPM
Speed select	electronical
Platter	12" / 4,2 kg (Aluminium)
Tonearm	Thorens TP 92
Anti-Skating	magnetic (TP 92)
Auto shut off	no
Power Supply	external Power Supply (115/230 V depending on type)
Dimensions	454 x 80 x 369 mm (W x H x D)
Weight	10,9 kg
Finish	black hgl, walnut hgl
Scope of delivery	Power Supply, acrylic dust cover
EAN Code	black hgl 4260623590425
	walnut hgl 4260623590418

TD1601 Turntable



Specs	
Function	Manual turntable with sub chassis, auto shut off, electrical lift
Drive system	Belt, sub platter aluminium
Motor	electronically controlled and stabilized AC synchronous motor.
Speed	33-1/3, 45 RPM
Speed select	electronical
Platter	12" / 4,2 kg (Aluminium)
Tonearm	Thorens TP 92
Anti-Skating	magnetic (TP 92)
Auto shut off	contactless
Power Supply	external Power Supply (115/230 V depending on type)
Dimensions	454 x 80 x 369 mm (W x H x D)
Weight	11,0 kg
Finish	black hgl, walnut hgl
Scope of delivery	Power Supply, acrylic dust cover
EAN Code	black hgl 4260623590401
	walnut hgl 4260623590395

TD2015 Turntable



Specs	
Function	manually
Drive System	exterior square drive belt
Motor	electronically controlled AC synchronous motor
Speeds	33-1/3, 45 rpm.
Speed select	electrical
Platter	12" / 4,2 kg (Aluminium)
Tonearm	Thorens TP 92, others available
Cartridge	-
Anti-Skating	magnetically (TP 92)
Shut off	none
Cable Capacitance	160 pF
Power supply	PS 800 electronic control unit with country-specified mains adaptor (110-230 V / 50-60 Hz depending on type)
Dimensions	420 x 140 x 330 mm (W x H x D)
Finish	Acrylic clear
Scope of Delivery	mains adapter w. power cord, stylus gauge, cotton gloves, operating instructions cotton gloves, operating instructions
EAN Code	4260270220249

TD2035 Turntable



Specs	
Function	manually
Drive System	exterior square drive belt
Motor	electronically controlled AC synchronous motor
Speeds	33-1/3, 45 rpm.
Speed select	electrical
Platter	12" / 6 kg (Aluminium)
Tonearm	Thorens TP 92, others available
Cartridge	-
Anti-Skating	magnetically (TP 92)
Shut off	none
Cable Capacitance	160 pF
Power supply	PS 800 electronic control unit with country-specified mains adaptor (110-230 V / 50-60 Hz depending on type)
Dimensions	420 x 140 x 330 mm (W x H x D)
EAN Code	acrylic plinth in white: 4260270220089, black: 4260270220164 (sandwich construction)
Scope of Delivery	mains adapter w. power cord, stylus gauge, cotton gloves, operating instructions cotton gloves, operating instructions

TD550 Turntable



Specs	
Function	manually with sub chassis using leaf spring suspension
Drive System	exterior square drive belt
Motor	electronically controlled AC synchronous motor
Speeds	33-1/3, 45 rpm.
Speed select	electronical
Platter	12" / 4,2 kg (Aluminium)
Tonearm	Thorens TP 92 9"
	Ortofon TA110 9"
	Ortofon TA210 9"
	SME 309 9", SME 312 12"
	SME M2-9, SME M2-12
Cartridge	-
Anti-Skating	depends on tonearm
shut off	none
Damping	Subchassis with damping feet
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Dimensions	525 x 190 x 415 mm (W x H x D)
Finish	Piano black / Chrome, makassar / chrome other finishes possible
EAN Code	4260270220737 , 4260270220744
Scope of Delivery	mains adapter w. power cord, dust cover (acrylic), RCA interconnects, bubble level tonearm scale, cotton gloves, operating instructions

TD907 Turntable



In 10 steps adjustable pneumatic damping.

Specs	
Function	manual Subchassis turntable
Drive System	Belt drive, sub platter Aluminium
Motor	Servo controlled AC synchronous motor
Speeds	33-1/3, 45 rpm.
Speed select	electronically
Platter	12" / 2,7 kg (Quartz glass)
Tonearm	Thorens TP 92 10" OEM
Tonarmboard	MDF
Anti-Skating	magnetically
shut off	none
Damping	pneumatic Polypropylene Cone between subchassis and bottom, adjustable
Power supply	external NT 900 unit 230/110V, 50/60 Hz
Dimensions	470 x 190 x 380 mm (W x H x D)
EAN Code	black: 4260270221314 , white: 4260270221307 , zebrano: 4260270221321
Scope of Delivery	NT 900 unit, Stylus gauge, Cartridge alignment protractor, Operating instruction

TEP302 PhonoPreamp



Specs

Compatibility	MM or MC cartridges
RIAA-accuracy	+/- 0,5 dB (20 Hz - 20 kHz)
Gain	40 dB (MM), 60 dB (MC)
Input Connectors	RCA
Input Capacity	15, 115, 235, 350 pF; switchable
Input Impedance	MM: 47 kOhms, MC: 99 - 1000 Ohms in 15 steps
Output Connectors	RCA
Power supply	external Mains adaptor (110-230 V, 50-60 Hz)
Power consumption	6W (no Stand-by)
Dimensions	230 x 50 x 175 mm (W x H x D)
Weight	3.0 kgs
EAN Code	Chrome / ash black 4260270220621 , ash red 4260270220638
Scope of Delivery	Mains adaptor with power chord, RCA cables, operating instructions

MM-008 ADC Phono Preamp



Specs	
Compatibility	MM/MC Tonabnehmer (siwtchable)
RIAA-accuracy	+/- 0,3 dB (20 Hz - 20 kHz)
Gain	40 dB (MM), 60 dB (MC)
Input Capacity	0, 100, 220 pF; switchable
Input Impedance MM	47 k Ohm + 220 pF fix
Input Impedance MC	47 k Ohm + 1 nF (load plugs to switch values)
Sensitivity MM	3,29 mV RMS at -10 dBV output (316 mV RMS)
Sensitivity MC	0,325 mV RMS at -10 dBV output (316 mV RMS)
Max. Output voltage	482 mV RMS at 5 mV RMS input (1 kHz)
Output impedance	47 Ohm
THD+N	<0,013% (MM) / <0,055% (MC)
Frequency response flat	20 Hz - 20 kHz +/- 0,3 dB
Frequency response -3 dB	10 Hz - 50 kHz
Signal to noise	>86 dB (MM) / >72 dB (MC)
Crosstalk	>= 40 dB
Input	RCA MM, RCA MC, RCA load plugs
Output	RCA, USB
USB Output	USB 2.0, backwards compatible USB 1.1
A/D Converter	Tenor TE7022L 24 Bit Delta Sigma
Sampling rates	8, 16, 32, 44,1, 48, 96 kHz
Operating System	Windows 10, Windows 8, Windows 7, Vista, XP, Mac OS
Power supply	external 24V DC
Power consumption	3,5 W / 15 mA
Dimensions	150 x 50 x 117 mm (W x H x D)
Finish	silver
EAN Code	4260270220881

MM-008 Phono Preamp



Specs	
Compatibility	MM/MC Tonabnehmer (siwtchable)
RIAA-accuracy	+/- 0,3 dB (20 Hz - 20 kHz)
Gain	40 dB (MM), 60 dB (MC)
Input Capacity	0, 100, 220 pF; switchable
Input Impedance MM	47 k Ohm + 220 pF fix
Input Impedance MC	47 k Ohm + 1 nF (load plugs to switch values)
Sensitivity MM	3,29 mV RMS at -10 dBV output (316 mV RMS)
Sensitivity MC	0,325 mV RMS at -10 dBV output (316 mV RMS)
Max. Output voltage	482 mV RMS at 5 mV RMS input (1 kHz)
Output impedance	47 Ohm
THD+N	<0,013% (MM) / <0,055% (MC)
Frequency response flat	20 Hz - 20 kHz +/- 0,3 dB
Frequency response -3 dB	10 Hz - 50 kHz
Signal to noise	>86 dB (MM) / >72 dB (MC)
Crosstalk	>= 40 dB
Input	RCA MM, RCA MC, RCA load plugs
Output	RCA
Power supply	external 24V DC
Power consumption	3,4 W / 15 mA
Dimensions	150 x 50 x 117 mm (W x H x D)
Finish	silver
EAN Code	4260270220867

MM-002 Phono Preamp




Specs	
Compatibility	MM Cartridge
RIAA-accuracy	+/- 0,3 dB (20 Hz - 20 kHz)
Gain	40 dB
Input Impedance MM	47 k Ohm + 220 pF fix
Input Sensivity MM	3,14 mV RMS at -10 dBV (316 mV RMS)
Max. Output voltage	498 mV RMS at 5 mV RMS (1 kHz)
Output impedance	47 Ohm
Frequency responce -3 dB	10 Hz - 50 kHz
Signal to noise	>86 dB
Crosstalk	>= 40 dB
Input	RCA
Output	RCE
Power supply	external 24V DC
Power consumption	3,3 W / 15 mA
Dimensions	100 x 45 x 93 mm (W x H x D)
Finish	black
EAN Code	4260270220850

MM FLEX Phono Preamp



Specs	
Compatibility	MM Cartridges
RIAA-accuracy	+/- 0,2 dB max
Gain	39 dB
Input Impedance MM	47 k Ohm + 220 pF fix
Input Sensivity MM	3,3 mV RMS at -10 dBV (316 mV RMS)
Max. Output voltage	445 mV RMS at 5 mV RMS (1 kHz)
Output impedance	47 Ohm
Frequency responce -3 dB	10 Hz - 50 kHz
Signal to noise	>70 dB
Crosstalk	>= 50 dB
Input	RCA
Output	RCA
Power supply	external Power supply 24V DC 630mA
Power consumption	1,76 W / 15 mA
Dimensions	100 x 30 x 30 mm (W x H x D)
Finish	black
EAN Code	4260270221130

TP92 Tonearm 9"/10"/12"



Specs			
	TP92 9"	TP92 10"	TP92 12"
Length	9"	10"	12"
Mounting distance	215mm	237,8mm	291,4mm
effective length	232,8mm	254mm	304,8mm
Overhang	17,8mm	16,2mm	17,8mm
Angular offset	23,66°	21,6°	17,8°
Inner null	66,0mm	66,0mm	66,0mm
Outer null	120,9mm	120,9mm	120,9mm
effective mass	11g	14g	21g
Max distortion between 0-points	0,63%	0,38%	0,46%
Geometry	Baerwald/Loefgren „A“	Baerwald/Loefgren „A“	Baerwald/Loefgren „A“
Bearing	Cardanic	Cardanic	Cardanic
Weight	360g	415g	465g
Connector	lose cables or Mini DIN (OEM II-Version)	lose cables or Mini DIN (OEM II-Version)	lose cables or Mini DIN (OEM II-Version)
Drilling	18mm dia	18mm dia	18mm dia
Antiskating	ferrit magnets, friction free	ferrit magnets, friction free	ferrit magnets, friction free
EAN Code	4260270220010	4260270221185	4260270220980
	4260270220027	4260270221192	4260270221208

Belts Accessories



Original Thorens rubber belts

Type	EAN Code	Length mm	Thickness mm
TD124	4260623590340	320	0,9x6
TD180	4260623590357	450	0,9x4
TD280 Mk IV	4260623590333	360	0,8x5
TD800, 2010, 2015, 2030, 2035, 350, 550	4260623590364	900	1,2x1,2
Reference	4260623590388	980	1x7
Prestige	4260623590371	510	0,9x8
Standard: all from 1965 - today	4250019101595	496	0,9x4

Stylus Gauge Accessories



Manual stylus gauge for simple and accurate adjustment of the tracking force.

EAN Code

4260270220942

Stabilizer Accessories



The Stabilizer improves stability and tracking. Supplied in a wooden box. Available in chrome.

EAN Code
4250019101618

Finish
Chrome

Cleaning Set Accessories




Use this special cleaning set to ensure that your records will last a lifetime. All items included in the cleaning set can also be purchased individually.

EAN Code

4250019103612

Cleaning Set Accessories



Record Brush Velvet

EAN Code

4260270220720

Record Brush Carbon

EAN Code

4260270220713

Stylus Cleaner Accessories



Anti-static liquid for gentle cleaning of styli and stylus assemblies. With two different applicators.

EAN Code

4260270220935

Platter Mats Accessories



Non-static platter mat consisting of fine granules (cork). Made to effectively suppress the typical resonance generated in vinyl records during playback as well as to provide a silent foundation.

EAN Code

4260270221222

Non-static platter mat consisting of fine granules (rubber, cork). Made to effectively suppress the typical resonance generated in vinyl records during playback as well as to provide a silent foundation.

EAN Code

4260270221239

Platter Mats Accessories



Heavy felt mat, black with red logo

EAN Code

4250019132858

Heavy felt mat, red with white logo

EAN Code

4250019132865

Oil for Platter Bearing Accessories



Oil for platter bearing

EAN Code

4260623590166

Thorens GmbH
Lustheide 85
51427 Bergisch Gladbach
Germany
Tel.: +49 2202 86777 20

E-Mail: info@thorens.com
Web: www.thorens.com

THORENS[®]
www.thorens.com